AK

	Application No.	Applicant(s)
Notice of Allowability	10/061,949 Examiner	LA SCALA, AMEDEO Art Unit
Notice of Anomability	Examiner	Artomic
	A. M. Thompson	2825
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>09 December 2004</u> .		
2. The allowed claim(s) is/are <u>1-21</u> .		
3. The drawings filed on <u>09 December 2004</u> are accepted by the Examiner.		
 4.		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary	(PTO-413),
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dates, 7. ☐ Examiner's Amendr	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowange
of Biological Material	9.	A. M. Thempson Primary Examiner schnology Center 2800

Art Unit: 2825

DETAILED ACTION

Improper Request for Continued Examination (RCE)

1. The request for continued examination (RCE) under 37 CFR 1.114 filed on 09 December 2004 is improper for the following reason:

Continued examination under 37 CFR 1.114 does not apply to an application unless prosecution in the application is closed. If the RCE was accompanied by a reply to a non-final Office action, the reply will be entered and considered under 37 CFR 1.111. If the RCE was not accompanied by a reply, the time period set forth in the last Office action continues to run from the mailing date of that action.

- 2. Applicants' amendment to 10/061,949 has been examined. The specification and drawings are amended. Claims 18-21 are added. Claims 1-21 are pending.
- 3. Pursuant to the Applicant initiated interview of November 30, 2004 and Applicant' instant drawing and specification amendments, claims 1-21 are herein allowed.

Drawings

The replacement drawing sheet was received on 09 December 2004. This
drawings is approved.

Allowable Subject Matter

- 5. Claims 1-21 are allowed over the prior art of record.
- 6. The following is an examiner's statement of reasons for allowance: In a process for management of a Test Access Port function in a plurality of components arranged on a single chip, the prior art does not disclose or suggest using a dedicated clock

Page 3

Application/Control Number: 10/061,949

Art Unit: 2825

generator to generate a clock signal for each chip component and further does not

disclose associating a pull-down function with each respective dedicated clock

generator.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Conclusion

7. Any inquiry concerning this communication or earlier communications should be

directed to Examiner A.M. Thompson whose telephone number is (571) 272-1909. The

Examiner can usually be reached Monday thru Friday from 8:00 a.m. to 4:30 p.m..

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

8. Responses to this action should be mailed to the appropriate mail stop:

Mail Stop _____

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Application/Control Number: 10/061,949

Art Unit: 2825

or faxed to:

(703) 872-9306, (for all OFFICIAL communications-intended for entry)

A. M. THOMPSON
Primary Examiner
Technology Center 2800